

**Physician Information**

Send updates to:  Fax: \_\_\_\_\_  Email: \_\_\_\_\_  Text: \_\_\_\_\_

|                  |      |   |      |      |
|------------------|------|---|------|------|
| Prescriber Name: |      | <input type="radio"/> MD <input type="radio"/> DO <input type="radio"/> NP <input type="radio"/> PA |      | NPI: |
| Office Contact:  |      | Practice name/Supervising MD:   |      |      |
| Address:         |      | City:   |      |      |
| State:           | Zip: | Phone:  | Fax: |      |

**Patient Information | PLEASE SEND COPY OF INSURANCE CARD**

|                 |                       |                |  |   |         |   |
|-----------------|-----------------------|----------------|--|---|---------|---|
| Patient's Name: | Last 4 Digits of SS#: | DOB: / /       | Sex: <input type="radio"/> M <input type="radio"/> F | Weight:   | Height: | Diabetic: <input type="radio"/> Y <input type="radio"/> N |
| Address:        | City:                 | State:         | Zip:   | Allergies:  |         |   |
| Home Phone:     | Work Or Cell:         | HIPAA Contact: | Emergency #:   | Interpreter Needed? <input type="radio"/> Y <input type="radio"/> N |         |   |

**Clinical Information | PLEASE SEND COPY OF MEDICAL AND PRESCRIPTION INSURANCE CARDS, PROGRESS NOTES AND LAB REPORTS, SUPPORTING DIAGNOSIS, CO-MORBIDITIES AND LAB VALUES**

**Diagnosis:**  M32.9 Active Systemic Lupus Erythematosus  M45.9 Ankylosing Spondylitis  M08.0 Juvenile Idiopathic Arthritis  L40.59 Psoriatic Arthritis

L40.54 Psoriatic Juvenile  Arthritis M06.9 Rheumatoid Arthritis  H20 Iridocyclitis (Uveitis)  Other:

Date of Diagnosis: / / Date of Negative TB Test: / / Any prior treatment?  Yes  No (provide information below)

|               |                                       |                        |                      |
|---------------|---------------------------------------|------------------------|----------------------|
| Prior Therapy | Reason for Discontinuation of Therapy | Approximate Start Date | Approximate End Date |
|---------------|---------------------------------------|------------------------|----------------------|

Comorbidities: \_\_\_\_\_ Concomitant Medications: \_\_\_\_\_

Allergies:  NKDA  Other:

**TREATMENT ARRANGEMENTS:** Ship Meds:  Home  Doctor's Office Start Date: / / \*Counseling and education provided by RxBiotech Clinical Team

**Prescription Information**

| Medication   | Quantity/Dose   | Sig  | Refills    |
|--|---|--|------------|
| <input type="radio"/> <b>ACTEMRA®</b><br><input type="radio"/> PFS   | <input type="radio"/> 2 cartons (2x162mg/0.9ml)<br><input type="radio"/> 4 cartons (4x162mg/0.9ml)  | <input type="radio"/> Inject 162 mg SQ every other week (<100kg)<br><input type="radio"/> Inject 162 mg SQ every week (>100kg)   |            |
| <input type="radio"/> <b>BENLYSTA®</b><br><input type="radio"/> Vial   | <input type="radio"/> Number of 120mg/5 ml vials _____<br><input type="radio"/> Number of 400mg/20 ml vials _____   | <input type="radio"/> <b>Starter Dose:</b> Infuse _____ mg IV over 1 hour at weeks 0, 2, and 4<br><input type="radio"/> <b>Maintenance Dose:</b> Infuse _____ IV over 1 hour once every 4 weeks  | No Refills |
| <input type="radio"/> <b>CIMZIA®</b><br><input type="radio"/> PFS <input type="radio"/> Vial                                   | <input type="radio"/> <b>PFS Only:</b> Starter Kit (6x200mg/ml)<br><input type="radio"/> 1 carton (2x200 mg/ml)   | <input type="radio"/> <b>Starter Dose:</b> Inject 400 mg SQ at weeks 0, 2, and 4<br><input type="radio"/> <b>Maintenance Dose:</b> Inject 400 mg SQ every 4 weeks<br><input type="radio"/> <b>Maintenance Dose:</b> Inject 200 mg SQ every 2 weeks   | No Refills |
| <input type="radio"/> <b>COSENTYX®</b><br><input type="radio"/> PFS <input type="radio"/> Sensoready Pen®                      | <input type="radio"/> 4 cartons (8x150mg/mL)<br><input type="radio"/> 4 cartons (4x150mg/mL)<br><input type="radio"/> 1 carton (2x150mg/mL)<br><input type="radio"/> 1 carton (1x150mg/mL)  | <input type="radio"/> <b>Starter Dose:</b> Inject 300 mg SQ at weeks 0, 1, 2, 3<br><input type="radio"/> <b>Starter Dose:</b> Inject 150 mg SQ at weeks 0, 1, 2, 3<br><input type="radio"/> <b>Maintenance Dose:</b> Inject 300 mg SQ every 4 weeks beginning on Day 29<br><input type="radio"/> <b>Maintenance Dose:</b> Inject 150 mg SQ every 4 weeks beginning on Day 29 | No Refills |
| <input type="radio"/> <b>ENBREL®</b><br><input type="radio"/> SureClick® <input type="radio"/> PFS <input type="radio"/> Vial  | <input type="radio"/> 1 carton (4 x 50mg/ml)<br><input type="radio"/> Other:  | <input type="radio"/> Inject 50 mg SQ every week<br><input type="radio"/> Other Regimen:   |            |
| <input type="radio"/> <b>HUMIRA®</b><br><input type="radio"/> PFS <input type="radio"/> Pen                                    | <input type="radio"/> 1 carton (2x40mg/0.8ml)<br><input type="radio"/> 2 cartons (4x40mg/0.8ml)   | <input type="radio"/> Inject 40 mg SQ every 14 days<br><input type="radio"/> Inject 40 mg SQ every 7 days  |            |
| <input type="radio"/> <b>HUMIRA®</b> (Uveitis)<br><input type="radio"/> PFS <input type="radio"/> Pen                          | <input type="radio"/> <b>Pens Only:</b> Starter Kit (4x40mg/0.8ml)<br><input type="radio"/> 1 carton (2x40mg/0.8 ml)  | <input type="radio"/> Inject 2 pens (80mg) SQ on Day 1, then 1 pen (40mg) on Day 8, then 1 pen every 2 weeks<br><input type="radio"/> Inject 40mg SQ every 14 days   | No Refills |
| <input type="radio"/> <b>KEVZARA®</b><br><input type="radio"/> PFS   | <input type="radio"/> 1 carton (2x200mg/1.14ml)<br><input type="radio"/> 1 carton (2x150/1.14ml)  | <input type="radio"/> Inject 200mg SQ every 2 weeks<br><input type="radio"/> Inject 150mg SQ every 2 weeks   |            |
| <input type="radio"/> <b>ORENCIA®</b><br><input type="radio"/> Clickject® <input type="radio"/> PFS <input type="radio"/> Vial | <input type="radio"/> <b>Vials:</b> QS for starter dose<br><input type="radio"/> <b>Vials:</b> QS for maintenance dose<br><input type="radio"/> <b>Pens/PFS:</b> 4 cartons (4x125mg/ml)   | <input type="radio"/> <b>Starter Dose:</b> Infuse _____mg IV in 100ml NS over 30 minutes at weeks 0 and 2<br><input type="radio"/> <b>Maintenance Dose:</b> Inject 125 mg SQ once every week<br><input type="radio"/> <b>Maintenance Dose:</b> Infuse _____mg IV in 100ml NS over 30 minutes at week 4 and every 4 weeks thereafter  | No Refills |
| <input type="radio"/> <b>OTEZLA®</b><br><input type="radio"/> Tablet   | <input type="radio"/> 10/20/30mg tablets (55 tabs for 28 Day Starter Pack)<br><input type="radio"/> 30 mg tablet (60 tablets)   | <input type="radio"/> <b>Starter Dose:</b> Take as directed per package instructions<br><input type="radio"/> <b>Maintenance Dose:</b> Take 1 tablet (30mg) by mouth twice daily   | No Refills |
| <input type="radio"/> <b>OTREXUP™</b><br><input type="radio"/> Auto-injector   | <input type="radio"/> 10mg/0.4ml <input type="radio"/> 20mg/0.4ml<br><input type="radio"/> 12.5mg/0.4ml <input type="radio"/> 22.5mg/0.4ml<br><input type="radio"/> 15mg/0.4ml <input type="radio"/> 25mg/0.4ml<br><input type="radio"/> 17.5mg/0.4ml | <input type="radio"/> Inject _____mg SQ every week   |            |

**Injection Training**

Patient received injection training  Prescriber's office to provide injection training  RxBiotech to coordinate injection training

By signing this form and utilizing our services, you are authorizing RxBiotech and its employees to serve as your prior authorization designated agent in dealing with medical and prescription insurance companies.

|                            |            |                            |            |
|----------------------------|------------|----------------------------|------------|
| Physician Signature: _____ | Date _____ | Physician Signature: _____ | Date _____ |
|----------------------------|------------|----------------------------|------------|

Substitution Permitted

Dispense as Written